

Pricing the Bermudan Swaption with the Efficient Calibration and its Properties ^{*}

Yasuhiro TAMBA [†]

Nagoya University of Commerce and Business

Abstract

This paper presents a tree construction approach to pricing a Bermudan swaption with an efficient calibration method. The Bermudan swaption is an option, which at each date in a schedule of exercise dates gives the holder the right to enter an interest swap, provided that this right has not been exercised at any previous time in the schedule. Assuming a common diffusion short rate dynamics, the Hull–White model, we propose a dynamic programming approach for their risk neutral evaluation. We derive a BGM, Brace–Gatarek–Musiela, like equation from the Hull–White model, that is, each forward LIBOR with an additive constant follows log–normal martingale under the corresponding probability measure. Using the result we can easily derive theoretical prices of an European swaption by the Black–Scholes formula and the Rebonato’s approximation. Utilizing the theoretical prices, we succeed to make the calibration easy and fast. We also derive theoretical conditions, under which the option holder does not exercise the Bermudan swaption. We can utilize this property for making profitable exercise strategies.

Keywords: Bermudan swaption, calibration, dynamic programming, Hull–White model, risk neutral evaluation.

1 Introduction

As various types of financial instruments have been developed, more flexible instruments are needed for hedging their risk. Exotic interest rate derivatives are flexible financial instruments which satisfy such demands in the financial market. One of the most traded exotic interest rate derivatives is a Bermudan swaption. The Bermudan swaption is an option, which at each date in a schedule of exercise dates gives the holder the right to enter an interest swap, provided that this right has not been exercised at any previous time in the schedule. Because of its usefulness as hedges for callable bonds, the Bermudan swaption is probably the most liquid interest rate instrument with a built-in early exercise feature. Its trade volume has increased for recent years in the market.

There are many papers for pricing the Bermudan swaption because of its popularity in the market. But pricing the instruments with the early exercise features is more complicated than pricing other plain type options. The pricing method used in most papers

^{*}The author would like to thank Dr. Masamitsu Ohnishi for helpful suggestions and comments.

[†]E-mail: nanaleoleo@yahoo.co.jp

is a Monte Carlo simulation because of its simplicity and applicability for a multifactor model and long maturity instruments. In spite of its usefulness, the Monte Carlo simulation has a weakness to be applied for pricing exotic derivatives. The important weakness is that the Monte Carlo simulation has difficulty in dealing with derivatives that contain early exercise features, like an American option and the Bermudan option. So we need improvement of the Monte Carlo method to price the early exercise derivatives. Longstaff and Schwartz (1998) developed the least square method to overcome the weakness of the Monte Carlo simulation for pricing American option. Andersen (1999) used the Monte Carlo simulation for pricing the Bermudan swaption, and derived a lower bound on the Bermudan swaption prices considering less advantage exercise strategies. Broadie and Glasserman (1997a, 1997b) developed the stochastic mesh method. Carr and Yang (1997) developed a method based on the stratification technique.

Another choice of the pricing method is the dynamic programming approach. Pedersen and Sidenius (1998) used optimality equations of the dynamic programming approach to price a chooser flexible cap, another exotic interest rate derivative. This method is rather appropriate for pricing exotic derivatives because we can solve the pricing problem by a backward induction setting up a recombining tree. In Ito, Ohnishi and Tamba (2004) we extend the method to price the chooser flexible cap focusing on its efficient calibration method so that the derived price reflects real market data. But because the Bermudan swaption has different features compared to the chooser flexible cap in such as an exercisable number, a payoff number and exercise decision-making for the option, we need to consider another procedure of the pricing calculation. To price the Bermudan option, many banks use one- or two-factor short rate model, in which the dynamic programming approach is used. But we have seen no paper discussing the theoretically appropriate and efficient calibration method. On the other hand, there is no research discussing Bermudan swaption's properties which can be utilized for profitable exercise strategies.

In this paper we focus on the pricing problem of the Bermudan swaption based on the observed market prices of rather simple interest rate derivatives, the European swaption. For the calibration it is appropriate to adopt instruments with similar features as the target instrument. We use the same model setting, the Hull-White model, as Ito, Ohnishi and Tamba (2004) for pricing the Bermudan swaption. Because the Bermudan swaption has some different features from the chooser flexible cap as we describe above, we improve the pricing and calibration methods for the Bermudan swaption. One of the important contributions of this paper is that we derive BGM, Brace et al. (1997), like equation from the Hull-White model, that is, each forward LIBOR with an additive constant follows log-normal martingale under the corresponding forward probability measure. Using the result we can easily derive the theoretical price of the European swaption utilizing the Black-Scholes formula, Black and Scholes (1973), and the Rebonato's approximation, Rebonato (1998), under the forward swap probability measure. Utilizing these theoretical prices, we can make the calibration very easy and fast. This is an important point for calculation of complicated instruments like exotic options in practice. Another important contribution is that we derive theoretical conditions, under which the option holder does not exercise the Bermudan swaption. The conditions are derived by optimality equations under varying forward neutral probabilities, which has not been used before. We can utilize this property for making profitable exercise strategies. We also show numerical examples and comparative statics for each model parameter, and discuss properties of the Bermudan swaption.

The paper is organized as follows. In Section 2, we introduce various notations about

interest rate. In Section 3, we derive the theoretical no-arbitrage price of the discount bond and the European swaption under the Hull–White model. We also show the calibration method for model parameters. In Section 4, we discuss the pricing method of the Bermudan swaption with optimality equations. In Section 5, we describe a construction of a trinomial tree for the Bermudan swaption pricing. We also show numerical examples and discuss comparative statics. In Section 6 we derive theoretical conditions, under which the option holder does not exercise the Bermudan swaption. Section 7 concludes the paper.

2 Notations of Interest Rates

2.1 Notations of Interest Rates

In this subsection we explain notations of various interest rates. Let $D(t, T)$ $0 \leq t \leq T \leq T^*$ be the time t price of the discount bond (or zero-coupon bond) with maturity T , in brief T -bond, which pays 1-unit of money at the maturity T (where $D(T, T) = 1$ for any $T \in \mathbb{T}^*$). For $0 \leq t \leq S < T \leq T^*$,

$$R(t; S, T) := -\frac{\ln D(t, T) - \ln D(t, S)}{T - S} \quad (1)$$

is the (continuous compounding based) forward rate prevailing at time t which covers time interval $(S, T]$. For $0 \leq t < T \leq T^*$,

$$Y(t, T) := R(t; t, T) = -\frac{1}{T - t} \ln D(t, T) \quad (2)$$

is the (continuous compounding based) spot rate prevailing at current time t or yield which covers time interval $(t, T]$. The map $T \mapsto Y(t, T)$ is called the yield curve at time t . For $0 \leq t \leq T \leq T^*$,

$$f(t, T) := \lim_{U \downarrow T} R(t; T, U) = -\frac{\partial}{\partial T} \ln D(t, T) \quad (3)$$

is the (instantaneous) forward rate prevailing at current time t with the maturity time T . The map $T \mapsto f(t, T)$ is called the forward rate curve at time t . For $t \in \mathbb{T}^*$,

$$r(t) := f(t, t) = \lim_{T \downarrow t} Y(t, T) = -\frac{\partial}{\partial T} \ln D(t, T) \Big|_{T=t} \quad (4)$$

is the short rate at time t . For $0 \leq t \leq T \leq T^*$,

$$B(t, T) := \exp \left\{ \int_t^T r(s) ds \right\} \quad (5)$$

is the risk-free bank account at time T with unit investment capital at time t (where $B(t, t) = 1$).

For $N \in \mathbb{Z}_+$, let

$$0 \leq T_0 < T_1 < \cdots < T_i < T_{i+1} < \cdots < T_{N-1} < T_N \leq T^* \quad (6)$$

be the sequence of setting times and payment times of floating interest rates, that is, for $i = 0, \dots, N - 1$, the floating interest rate which covers time interval $(T_i, T_{i+1}]$, is set at time T_i and paid at time T_{i+1} . For convenience, we let

$$T_{i+1} - T_i = \delta \quad (= \text{constant} \in \mathbb{R}_{++}), \quad i = 0, \dots, N - 1. \quad (7)$$

For $i = 0, \dots, N - 1$, we define the simple (or simple compounding based) interest rate which covers time interval $(T_i, T_{i+1}]$ by

$$L_{T_i}(T_i) := \frac{1}{\delta} \left\{ \frac{1}{D(T_i, T_{i+1})} - 1 \right\}. \quad (8)$$

This amount is set at time T_i , paid at time T_{i+1} , and is conventionally called a spot LIBOR (London Inter-Bank Offer Rate). For $i = 0, \dots, N - 1$,

$$L_{T_i}(t) := \frac{1}{\delta} \left\{ \frac{D(t, T_i)}{D(t, T_{i+1})} - 1 \right\} \quad (9)$$

is the simple (or simple compounding based) interest rate prevailing at time t ($\in [0, T_i]$) which covers time interval $(T_i, T_{i+1}]$, and is called a forward LIBOR.

An interest rate swap is a contract where two parties agree to exchange a set of floating interest rate, LIBOR, payments for a set of fixed interest rate payments. In the market, swaps are not quoted as prices for different fixed rates K , but only the fixed rate K is quoted for each swap such that the present value of the swap is equal to zero. This rate, called the par swap rate $S(t)$ at t , with the payments from T_1 to T_n is calculated as

$$S(t) = \frac{D(t, T_0) - D(t, T_n)}{\sum_{k=1}^n \delta D(t, T_k)}. \quad (10)$$

2.2 European Swaption

An European swaption gives the holder the right to enter at time T_N into a swap with fixed rate K . The value of the European swaption at T_N with n payments from T_{N+1} to T_{N+n} is

$$\delta(S(T_N) - K)^+ \sum_{k=N+1}^{N+n} D(T_N, T_k). \quad (11)$$

3 No-Arbitrage Prices of the Discount Bond and the European Swaption, and the Calibration

3.1 No-Arbitrage Prices of Discount Bonds in Hull-White Model

We consider a continuous trading economy with a finite time horizon given by $\mathbb{T}^* := [0, T^*]$ ($T^* \in \mathbb{R}_{++}$). The uncertainty is modelled by a filtered probability space $(\Omega, \mathcal{F}, \mathbb{P}; \mathbb{F})$. In this notation, Ω denotes a sample space with elements $\omega \in \Omega$; \mathcal{F} denotes a σ -algebra on Ω ; and \mathbb{P} denotes a probability measure on (Ω, \mathcal{F}) . The uncertainty is resolved over \mathbb{T}^* according to a 1-dimensional Brownian (motion) filtration $\mathbb{F} := (\mathcal{F}(t) : t \in \mathbb{T}^*)$ satisfying the usual conditions. $W := (W(t) : t \in \mathbb{T}^*)$ denotes a 1-dimensional standard $(\mathbb{P}; \mathbb{F})$ -Brownian motion. Consistent with the no-arbitrage and complete market paradigm, we assume the existence of the risk neutral equivalent martingale measure \mathbb{P}^* with a bank account as a numéraire in this economy.

The Hull-White model, Hull and White (1990), is one of the most popular short rate models with the Affine Term Structure (ATS) feature in practice because it has desirable

characters of the interest rate such as mean reversion property. It can also be fitted with an observable initial term structure. The Hull–White model assumes that, under the risk neutral probability measure \mathbb{P}^* , the short rate process $r = (r(t) : t \in \mathbb{T}^*)$ satisfies the following special form of SDE with the ATS property:

$$dr(t) = \{\alpha(t) - \beta r(t)\}dt + \sigma dW^*(t), \quad t \in \mathbb{T}^*, \quad (12)$$

that is,

$$m_0(t) = \alpha(t), \quad m_1(t) = -\beta; \quad (13)$$

$$s_0(t) = \frac{\sigma^2}{2}, \quad s_1(t) = 0. \quad (14)$$

Under the Hull–White model, the time t price of T –bond can be explicitly derived as follows:

$$D(t, T; r(t)) = \exp\{-a(t, T) - b(t, T)r(t)\}, \quad 0 \leq t \leq T \leq T^*, \quad (15)$$

where

$$a(t, T) = -\frac{\sigma^2}{2} \int_t^T \{b(s, T)\}^2 ds + \int_t^T \alpha(s)b(s, T) ds; \quad (16)$$

$$b(t, T) = \frac{1 - e^{-\beta(T-t)}}{\beta}. \quad (17)$$

Then, the initial forward rate can be derived explicitly as:

$$\begin{aligned} f(0, T; r(0)) &= \frac{\partial}{\partial T} a(0, T) + r(0) \frac{\partial}{\partial T} b(0, T) \\ &= -\frac{\sigma^2}{2\beta^2} (e^{-\beta T} - 1)^2 + \int_0^T \alpha(s) \frac{\partial}{\partial T} b(s, T) ds \\ &\quad + r(0) \frac{\partial}{\partial T} b(0, T), \quad 0 \leq T \leq T^*. \end{aligned} \quad (18)$$

3.2 No–Arbitrage Price of the European swaption in the Hull–White Model

To calculate the price of the Bermudan swaption in the Hull–White model, we need to decide the values of the model parameters. The parameters are decided as observable simple derivatives, the European swaption, fit theoretical prices derived by the model. So, for the calibration we need to derive theoretical prices of the European swaption based on the Hull–White model. We assume that the short rate $r(t)$ follows the Hull–White model (12). From the results (15), (16) and (17) the forward LIBOR $L_{T_i}(t)$ can be represented as

$$\begin{aligned} L_{T_i}(t) &:= \frac{D(t, T_i) - D(t, T_{i+1})}{\delta D(t, T_{i+1})} \\ &= -\frac{1}{\delta} + \frac{1}{\delta} \exp\left\{-a(t, T_i) + a(t, T_{i+1}) - b(t, T_i) + b(t, T_{i+1})\right\} r(t). \end{aligned} \quad (19)$$

Defining

$$g(t, T_i, T_{i+1}) := \frac{1}{\delta} \exp\left\{-a(t, T_i) + a(t, T_{i+1})\right\}; \quad (20)$$

$$h(t, T_i, T_{i+1}) := -b(t, T_i) + b(t, T_{i+1}); \quad (21)$$

$$\bar{L}_{T_i}(t) := L_{T_i}(t) + \frac{1}{\delta}, \quad (22)$$

we can represent $\bar{L}_{T_i}(t)$ as

$$\bar{L}_{T_i}(t) = g(t, T_i, T_{i+1})e^{h(t, T_i, T_{i+1})r(t)}. \quad (23)$$

From the Itô's Lemma $\bar{L}_{T_i}(t)$ follows the SDE

$$\begin{aligned} \frac{d\bar{L}_{T_i}(t)}{\bar{L}_{T_i}(t)} &= \left\{ \frac{g(t, T_i, T_{i+1})_t}{g(t, T_i, T_{i+1})} + h(t, T_i, T_{i+1})_t r(t) + h(t, T_i, T_{i+1})(\alpha(t) - \beta r(t)) \right. \\ &\quad \left. + \frac{1}{2} h(t, T_i, T_{i+1})^2 \sigma^2 \right\} dt + h(t, T_i, T_{i+1}) \sigma dW^*(t), \end{aligned} \quad (24)$$

where $g(t, T_i, T_{i+1})_t$ and $h(t, T_i, T_{i+1})_t$ are partial differentials of $g(t, T_i, T_{i+1})$ and $h(t, T_i, T_{i+1})$ with respect to t . $g(t, T_i, T_{i+1})_t$ and $h(t, T_i, T_{i+1})_t$ can be calculated as

$$g(t, T_i, T_{i+1})_t = \left[\frac{\sigma^2}{2} \left\{ b(t, T_i) + b(t, T_{i+1}) \right\} - \alpha(t) \right] h(t, T_i, T_{i+1}) g(t, T_i, T_{i+1}); \quad (25)$$

$$h(t, T_i, T_{i+1})_t = h(t, T_i, T_{i+1}) \beta. \quad (26)$$

Hence, we obtain

$$\begin{aligned} \frac{d\bar{L}_{T_i}(t)}{\bar{L}_{T_i}(t)} &= \left[\frac{h(t, T_i, T_{i+1}) \sigma^2}{2} \left\{ b(t, T_i) + b(t, T_{i+1}) \right\} + \frac{1}{2} h(t, T_i, T_{i+1})^2 \sigma^2 \right] dt \\ &\quad + h(t, T_i, T_{i+1}) \sigma dW^*(t) \\ &= h(t, T_i, T_{i+1}) \sigma \left[\left\{ \frac{\sigma}{2} \left(b(t, T_i) + b(t, T_{i+1}) \right) + \frac{1}{2} h(t, T_i, T_{i+1}) \sigma \right\} dt + dW^*(t) \right] \\ &= h(t, T_i, T_{i+1}) \sigma \left\{ \sigma b(t, T_{i+1}) dt + dW^*(t) \right\}. \end{aligned} \quad (27)$$

Changing the probability measure by

$$dW^{T_{i+1}}(t) = \sigma b(t, T_{i+1}) dt + dW^*(t), \quad (28)$$

we obtain that $\bar{L}_{T_i}(t)$ follows the SDE

$$\frac{d\bar{L}_{T_i}(t)}{\bar{L}_{T_i}(t)} = h(t, T_i, T_{i+1}) \sigma dW^{T_{i+1}}(t), \quad 0 \leq t \leq T_i, \quad (29)$$

where $W^{T_{i+1}}(t)$ is the Brownian motion under the forward neutral probability $\mathbb{P}^{T_{i+1}}$.

By utilizing the swap neutral evaluation method, we know that the fair (no-arbitrage) price of the European swaption at time $t \in [0, T_i]$, $ES_{T_i}(t)$, is given by the expectation under the forward swap probability measure \mathbb{P}^s , under which the swap rate follows log-normal martingale (See Filipović (2002)):

$$ES_{T_i}(t) = \delta \sum_{k=i+1}^{i+n} D(t, T_k) E^S \left[(S(T_i) - K)^+ \middle| \mathcal{F}(t) \right], \quad 0 \leq t \leq T_i. \quad (30)$$

Using the same calculation as the Black–Scholes formula and the approximation of the Black–like swaption volatility by Rebonato (1998), we obtain

$$ES_{T_i}(t) = \delta \sum_{k=i+1}^{i+n} D(t, T_k) [S(t)\Phi(d_{T_i}(t)) - K\Phi(d_{T_i}(t) - \nu_{T_i}(t))], \quad (31)$$

where $d_{T_i}(t)$, $\Phi(d)$ and $\nu_{T_i}(t)$ are defined as follows:

$$d_{T_i}(t) := \frac{\log(S(t)/K)}{\nu_{T_i}(t)} + \frac{\nu_{T_i}(t)}{2};$$

$$\Phi(d) := \frac{1}{\sqrt{2\pi}} \int_{-\infty}^d e^{-x^2/2} dx;$$

$$\nu_{T_i}^2(t) := \sum_{k,l=i+1}^{i+n} \frac{w_k(0)w_l(0)L_{T_{k-1}}(0)L_{T_{l-1}}(0)\rho_{k,l}}{S(0)^2} \int_0^{T_i} \sigma^2 h(s, T_k, T_{k+1})h(s, T_l, T_{l+1}) ds;$$

$$w_l(t) := \frac{\prod_{j=i+1}^l \frac{1}{1+\delta L_{T_{j-1}}(t)}}{\sum_{k=i+1}^{i+n} \prod_{j=i+1}^k \frac{1}{1+\delta L_{T_{j-1}}(t)}} = \frac{D(t, T_l)}{\sum_{k=i+1}^{i+n} D(t, T_k)};$$

$$dW^{T_i} dW^{T_j} := d\langle W^{T_i}, W^{T_j} \rangle_t = \rho_{i,j} dt.$$

(32)

3.3 Calibration

Unknown parameters $\alpha(\cdot)$, β , σ could be estimated as follows. In the Hull–White model by solving the theoretical value formula of the forward rate (18) with respect to the function $\alpha(\cdot)$ and substituting the observed forward rate curve at current time 0, $f_{\text{mkt}}(0, T)$, we have

$$\alpha_{\text{mkt}}(T) := \frac{\partial}{\partial T} \left[f_{\text{mkt}}(0, T) + \frac{\sigma^2}{2\beta^2} (e^{-\beta T} - 1)^2 \right] - \beta \left[f_{\text{mkt}}(0, T) + \frac{\sigma^2}{2\beta^2} (e^{-\beta T} - 1)^2 \right], \quad 0 \leq T \leq T^*. \quad (33)$$

This function includes unknown parameters β and σ . Accordingly, the remaining unknown parameters β and σ could be determined, for example, by the minimizers of the following criterion function:

$$C(\beta, \sigma) := w_1 \sum_i |D(t, T_i)_{\text{mkt}} - D(t, T_i)_{\text{mdl}}|^2 + w_2 \sum_i |ES_{T_i}(t)_{\text{mkt}} - ES_{T_i}(t)_{\text{mdl}}|^2, \quad (34)$$

where $D(t, T_i)_{\text{mkt}}$, $ES_{T_i}(t)_{\text{mkt}}$: the observed prices of the i -th discount bond and the European swaption, respectively; $D(t, T_i)_{\text{mdl}}$, $ES_{T_i}(t)_{\text{mdl}}$: the theoretical prices of the i -th discount bond and the European swaption, respectively; $w_1, w_2 (\in \mathbb{R}_+)$ ($w_1 + w_2 = 1$): weighting coefficients. We can take weighting coefficients in other ways like taking summation after we put weighting coefficients on each difference between the market data and the theoretical price of each i -th instrument. We can also use other financial instruments for this calibration.

4 Pricing the Bermudan Swaption

4.1 Pricing the Bermudan Swaption under the Risk Neutral Probability \mathbb{P}^*

Let $W(T_i, r(T_i))$, $i = 0, \dots, N - 1$ be the fair (no-arbitrage) price of the Bermudan swaption at time T_i . In this paper we deal with the Bermudan swaption with a constant length of its payoff period after the exercise. The optimal equation can be derived using the Bellman principle. We can use the short rate as the state variable instead of the swap rate because the swap rate is the increasing function in the short rate and these are in one to one relation as we see below in equation (41). From (10) with the Hull–White model swap rate, explicitly shown as the function of t and $r(t)$, is represented as

$$\begin{aligned} S(t, r(t)) &= \frac{D(t, T_0; r(t)) - D(t, T_n; r(t))}{\sum_{k=1}^n \delta D(t, T_k; r(t))} \\ &= \frac{\exp\{-a(t, T_0) - b(t, T_0)r(t)\} - \exp\{-a(t, T_n) - b(t, T_n)r(t)\}}{\sum_{k=1}^n \delta \exp\{-a(t, T_k) - b(t, T_k)r(t)\}} \\ &:= \frac{g_0(t, r(t)) - g_n(t, r(t))}{\delta f(t, r(t))}, \end{aligned} \quad (35)$$

where

$$\begin{aligned} f(t, r(t)) &= \sum_{k=1}^n \exp\{-a(t, T_k) - b(t, T_k)r(t)\} \\ &= \sum_{k=1}^n g_k(t, r(t)); \end{aligned} \quad (36)$$

$$g_k(t, r(t)) = \exp\{-a(t, T_k) - b(t, T_k)r(t)\}, \quad k = 0, 1, \dots, n. \quad (37)$$

Then we have

$$\frac{\partial}{\partial r(t)} f(t, r(t)) = - \sum_{k=1}^n b(t, T_k) g_k(r(t)); \quad (38)$$

$$\frac{\partial}{\partial r(t)} g_k(t, r(t)) = -b(t, T_k) g_k(r(t)). \quad (39)$$

$$\begin{aligned} \frac{\partial}{\partial r(t)} S(t, r(t)) &= \frac{1}{\delta f^2(r(t))} [\{-b(t, T_0)g_0(t, r(t)) + b(t, T_n)g_n(t, r(t))\} \sum_{k=1}^n g_k(t, r(t)) \\ &\quad + \{g_0(t, r(t)) - g_n(t, r(t))\} \sum_{k=1}^n b(t, T_k)g_k(t, r(t))] \\ &= \frac{1}{\delta f^2(r(t))} [g_0(t, r(t))\{-b(t, T_0) \sum_{k=1}^n g_k(t, r(t)) + \sum_{k=1}^n b(t, T_k)g_k(t, r(t))\} \\ &\quad + g_n(t, r(t))\{b(t, T_n) \sum_{k=1}^n g_k(t, r(t)) - \sum_{k=1}^n b(t, T_k)g_k(t, r(t))\}] \end{aligned} \quad (40)$$

From (17) we know $b(t, T_k) < b(t, T_{k+1})$ $k = 0, 1, \dots, n - 1$. As the result we could prove

$$\frac{\partial}{\partial r(t)} S(t) > 0, \quad (41)$$

which means that the swap rate is the increasing function in the short rate and these are one to one relations between them.

Next we derive the optimality equation under the risk neutral probability measure \mathbb{P}^* with a bank account as a numéraire.

Optimality Equation:

(i) For $i = N - 1$ (Terminal Condition):

$$W(S(T_{N-1})) = \delta[S(T_{N-1}) - K]_+ \sum_{k=0}^{n-1} D(T_{N-1}, T_{N+k}) \quad (42)$$

(ii) For $i = N - 2, \dots, 0$:

$$W(S(T_i)) = \max \left\{ E^* \left[\frac{\delta[S(T_i) - K]_+ \sum_{k=i+1}^{i+n} D(T_{i+1}, T_k)}{B(T_i, T_{i+1})} \middle| S(T_i) \right], \right. \\ \left. E^* \left[\frac{W(S(T_{i+1}))}{B(T_i, T_{i+1})} \middle| S(T_i) \right] \right\} \quad (43)$$

4.2 Pricing the Bermudan Swaption under the Forward Neutral Probability \mathbb{P}^{T_N}

We can also derive the optimality equation under the forward neutral probability \mathbb{P}^{T_N} with a T_N -bond as a numéraire.

Optimality Equation:

(i) For $i = N - 1$ (Terminal Condition):

$$W(S(T_{N-1})) = \delta[S(T_{N-1}) - K]_+ \sum_{k=0}^{n-1} D(T_{N-1}, T_{N+k}) \quad (44)$$

(ii) For $i = N - 2, \dots, 0$:

$$W(S(T_i)) = \max \left\{ \delta[S(T_i) - K]_+ \sum_{k=i+1}^{i+n} D(T_i, T_k), \right. \\ \left. D(T_i, T_N) E^{T_N} \left[\frac{W(S(T_{i+1}))}{D(T_{i+1}, T_N)} \middle| S(T_i) \right] \right\} \quad (45)$$

4.3 Pricing the Bermudan Swaption under Varying Forward Neutral Probabilities \mathbb{P}^{T_i} ($1 \leq i \leq N$)

In this subsection we write the optimality equation under forward neutral probabilities \mathbb{P}^{T_i} varying at each period with a T_i -bond as a numéraire. This optimality equation is different from both the optimality equations of Subsection 4.1 and 4.2 that have the fixed probability measures at all periods. We will use this method for proofs of the later propositions in Section 6.

Optimality Equation:

(i) For $i = N - 1$ (Terminal Condition):

$$W(S(T_{N-1})) = \delta[S(T_{N-1}) - K]_+ \sum_{k=0}^{n-1} D(T_{N-1}, T_{N+k}) \quad (46)$$

(ii) For $i = N - 2, \dots, 0$:

$$W(S(T_i)) = \max \left\{ \delta[S(T_i) - K]_+ \sum_{k=i+1}^{i+n} D(T_i, T_k), \right. \\ \left. D(T_i, T_{i+1}) E^{T_{i+1}} \left[W(S(T_{i+1})) \middle| S(T_i) \right] \right\} \quad (47)$$

5 Construction of the Trinomial Tree of the Bermudan Swaption Price, Numerical Example and Comparative Statics

5.1 Backward Induction of the Bermudan Swaption Price

Using a trinomial tree of the short rate $r(t)$ that follows the Hull–White model, we construct the trinomial tree of the short rate and the Bermudan swaption price in the discrete time setting under the risk neutral probability \mathbb{P}^* . We can also construct the trees under the forward neutral probabilities \mathbb{P}^{T_N} and \mathbb{P}^{T_i} in the same way. We construct the short rate trinomial tree based on Hull–White (1994). For the simplicity of the calculation, we set $\Delta t = \delta = T_{i+1} - T_i$ as constant for all i . (i, j) represents a node at $t = i\Delta t$ and $r = j\Delta r$. We define $D(i, i+1, j)$ as the $(i+1)\Delta t$ -bond price at (i, j) , $L(i, i, j)$ as the spot LIBOR at T_i with the payment time $(i+1)\Delta t$, $L(i, i+k, j)$ as the forward LIBOR from T_{i+k} to T_{i+k+1} at T_i , $S_{i,j}$ as the swap rate value at the node (i, j) , and $r_{i,j}$ as the short rate value at the node (i, j) . Under the Hull–White model from (16) and (17) we have

$$\begin{aligned} a(T_i, T_{i+1}) &= -\frac{\sigma^2}{2} \int_{T_i}^{T_{i+1}} \{b(s, T_{i+1})\}^2 ds + \int_{T_i}^{T_{i+1}} \alpha(s) b(s, T_{i+1}) ds \\ &\cong -\frac{\sigma^2}{2} \int_{T_i}^{T_{i+1}} \{b(s, T_{i+1})\}^2 ds + \alpha_i \int_{T_i}^{T_{i+1}} b(s, T_{i+1}) ds \\ &= -\frac{\sigma^2}{2\beta^2} \left((T_{i+1} - T_i) + \frac{2}{\beta} e^{-\beta(T_{i+1}-T_i)} - \frac{1}{2\beta} e^{-2\beta(T_{i+1}-T_i)} - \frac{3}{2\beta} \right) \\ &\quad + \alpha_i \frac{1}{\beta^2} \left(\beta(T_{i+1} - T_i) + e^{-\beta(T_{i+1}-T_i)} - 1 \right) \\ &=: a(i, i+1), \end{aligned} \quad (48)$$

$$b(T_i, T_{i+1}) = \frac{1 - e^{-\beta(T_{i+1}-T_i)}}{\beta} =: b(i, i+1). \quad (49)$$

Then the bond price $D(i, i+1, j)$, the spot LIBOR $L(i, i, j)$, the forward LIBOR $L(i, i+k, j)$ and the swap rate $S_{i,j}$ are represented respectively as

$$D(i, i+1, j) = e^{-a(i, i+1) - b(i, i+1)r_{i,j}}, \quad (50)$$

$$L(i, i, j) = -\frac{1}{\delta} + \frac{1}{\delta D(i, i+1, j)}; \quad (51)$$

$$L(i, i+k, j) = -\frac{1}{\delta} + \frac{D(i, i+k, j)}{\delta D(i, i+k+1, j)}; \quad (52)$$

$$S_{i,j} \approx \sum_{k=0}^{n-1} w_{i+k+1}(0) L(i, i+k, j), \quad (53)$$

where

$$w_i(0) = \frac{D(0, i, j)}{\sum_{k=0}^{n-1} D(0, i+k+1, j)}. \quad (54)$$

See Brigo and Mercurio (2000) for the above approximation of the swap rate. The bank account $B(T_i, T_{i+1})$ with $r(T_i)$ transiting from a node (i, j) to a node $(i+1, j')$ can be approximated utilizing the trapezoidal rule as

$$B(T_i, T_{i+1}) = \exp\left\{\int_{T_i}^{T_{i+1}} r(s) ds\right\} \cong \exp\left\{\frac{r_{i,j} + r_{i+1,j'}}{2} \delta\right\}. \quad (55)$$

We define $p_u(i, j), p_m(i, j), p_d(i, j)$ as the transition probabilities from the node (i, j) to up, same, and down states at $t = (i+1)\Delta t$ respectively, $W(i, j)$ as the Bermudan swaption price at the node (i, j) , and $W(i+1, j+1), W(i+1, j), W(i+1, j-1)$ as the Bermudan swaption prices at each state, $j+1, j$, and $j-1$, at time $(i+1)\Delta t$ with above corresponding transition probabilities from (i, j) , and $B_u(i, j), B_m(i, j), B_d(i, j)$ as the bank account values at each state, $j+1, j$, and $j-1$, at time $(i+1)\Delta t$ with above corresponding transition probabilities from (i, j) . The Bermudan swaption price at (i, j) , $W(i, j)$, can be derived as

$$\begin{aligned} W(i, j) = & \max\left\{\delta(S_{i,j} - K)^+ \left(p_u(i, j) \frac{\sum_{k=i+1}^{i+n} D(i+1, k, j+1)}{B_u(i, j)} \right. \right. \\ & \left. \left. + p_m(i, j) \frac{\sum_{k=i+1}^{i+n} D(i+1, k, j)}{B_m(i, j)} + p_d(i, j) \frac{\sum_{k=i+1}^{i+n} D(i+1, k, j-1)}{B_d(i, j)}\right), \right. \\ & \left. p_u(i, j) \frac{W(i+1, j+1)}{B_u(i, j)} + p_m(i, j) \frac{W(i+1, j)}{B_m(i, j)} + p_d(i, j) \frac{W(i+1, j-1)}{B_d(i, j)}\right\}. \end{aligned} \quad (56)$$

By the backward induction from the terminal condition, we can calculate the current Bermudan swaption price at $(0, 0)$.

5.2 Numerical Examples and Comparative Statics

Following Hull and White (1994), we construct the trinomial tree of the short rate and the spot LIBOR and calculate the Bermudan swaption price in Fig.1 and Fig.2. We discuss how each parameter and an initial condition affect the price of the Bermudan

swaption. The Table 1 shows the Bermudan swaption price calculated with only one parameter changed where other parameters and initial conditions are fixed on the bench mark values, $\beta=0.3$, R : increasing 0.0025 in each period starting from 0.1, $\sigma = 0.01$, $N = 8$, $T = 2$, $\delta = 0.25$ and $K = 0.8$. We set the time interval $\delta = 0.25$ for both of the short rate and the spot LIBOR in this example. But we can set different time intervals for each rate. For example, we can set the shorter time interval for the short rate tree than the spot LIBOR. We use MATLAB for the calculation.




Figure 1: The Trinomial Tree of the Short Rate and the Spot LIBOR. We construct the tree following Hull-White (1994) based on the parameter set, $\beta = 0.3$, R : increasing 0.0025 in each period starting from 0.1, $\sigma = 0.01$, $N = 8$, $T = 2$ and $\delta = 0.25$. The upper nodal values, $r_{i,j}$, are the short rates and lower values, $L_{T_i}(T_i)$, are the spot LIBORs at each node (i, j) .




Figure 2: The Trinomial Tree of Bermudan Swaption Values. The tree is built calculating the Bermudan swaption prices backwardly based on the interest rate tree of the Figure 1. The upper nodal values, $W(i, j)$, are the Bermudan swaption prices at each node (i, j) . The lower rows show whether the option holder exercises the Bermudan swaption, E, at each node or not, X. Furthermore, the surrounded area with the thick line represents the exercise nodes in this example.

The result shows that as n (number of payoff periods) is bigger, the Bermudan swaption price is bigger. This is because the total amount of the payoff gets bigger. The Bermudan swaption price is smaller as β (parameter of HW model) is bigger. The value of β affects the level and speed of the mean reversion of the short rate. The larger β is, the smaller the mean reversion level is. This keeps the values of the short rate and swap rate small, and causes the small Bermudan swaption price. The Bermudan swaption price is larger as σ (parameter of HW model) is bigger. The reason is the same as the result of the simple Black-Scholes formula. As σ is bigger, the value of the instruments, with which we can hedge the floating interest rate risk, is highly evaluated by buyers of the option. The Bermudan swaption price is smaller as K (exercise rate) is bigger. This result is caused by the payoff function, $\delta(S(T_i) - K)_+$. As the value of K increases, the payment gets smaller. The Bermudan swaption price is larger as T (option maturity) is bigger. Because we can replicate the Bermudan swaption with the short maturity by the longer one, the longer one is at least more expensive than the shorter one. Finally, we examine six patterns of the initial yield curve such as increasing curves and decreasing curves at different yield levels. Among the six initial yield curve examples, the price of the case of R3(the increasing, 0.005 at each period, curve starting from 0.1) is most expensive, and the prices of R2(the decreasing, 0.005 at each period, curve starting from 0.14) is cheapest in this example. But the prices with other parameter set cases do not necessarily result in the same pattern. Although the increasing initial yield curves cause the bigger values of the swap rate than the decreasing one, the bigger values cause not only the bigger values of payments but also the bigger values of the discount bonds, which are the discount values used on the backward calculation. As we calculate the values of the Bermudan swaption backwardly, the Bermudan swaption values are discounted more in the case of the increasing case than the decreasing case. As the result, the price differences between the increasing and decreasing cases get smaller and smaller on the backward calculation. As the result in some cases, we see that the option price with the decreasing yield curve may be more expensive than the increasing case.

Table 1. Comparative Statics^a

	Price	Change of the Price
$n = 4$	0.5375	n bigger \Rightarrow price bigger
$n = 2$	0.0072	
$\beta = 0.3$	0.5375	β bigger \Rightarrow price smaller
$\beta = 0.6$	0	
$\sigma = 0.01$	0.5375	σ bigger \Rightarrow price bigger
$\sigma = 0.5$	0.7099	
$K = 0.8$	0.5375	K bigger \Rightarrow price smaller
$K = 0.1$	0.7996	
$T = 2, N = 8, \delta = 0.25$	0.5375	$T(or N)$ bigger \Rightarrow price bigger
$T = 1, N = 4, \delta = 0.25$	0.1964	
R : gently increasing from 0.1	0.5375	$R3 \Rightarrow$ price biggest $R2 \Rightarrow$ price smallest
$R1$: flat at 0.1	0.5322	
$R2$: decreasing from 0.14	0.4777	
$R3$: increasing from 0.06	0.5916	
$R4$: decreasing from 0.1	0.5135	
$R5$: increasing from 0.1	0.5404	

^a The Table 1 shows the Bermudan swaption prices calculated with only one parameter changed where other parameters and initial conditions are fixed on the bench mark values, n (payment number)= 4, β (parameter of HW model)= 0.3, σ (parameter of HW model)= 0.01, K (exercise rate)= 0.8, T (option maturity)= 2, N (number of time periods)= 8, δ (time interval)= 0.25, and R (initial yield curve): increasing 0.0025 in each period starting from 0.1. The column of "Price" shows the Bermudan swaption price with each parameter. The column of "Change of the Price" shows the change of the Bermudan swaption price when each corresponding parameter is changed. $R1$ is the flat curve at 0.1. $R2$ is the decreasing, 0.005 at each period, curve from 0.14. $R3$ is the increasing, 0.005 at each period, curve from 0.06. $R4$ is the decreasing, 0.005 at each period, curve from 0.1. $R5$ is the increasing, 0.005 at each period, curve from 0.1.

6 Conditions for Non Early Exercise of the Bermudan Swaption

In this section we derive theoretical conditions, under which the option holder does not exercise the Bermudan swaption at T_i for $i = 0, \dots, N - 2$.

Proposition 6.1. *The holder of the Bermudan swaption does not exercise the Bermudan swaption at $t = T_{N-2}$ under the conditions*

$$S(T_{N-2}) < \frac{1}{1 + \delta L_{N+l-2}(T_{N-2})} \sum_{k=0}^{n-1} w_{N+k}(0) L_{N+k-1}(T_{N-2}), l = 1, 2; \quad (57)$$

$$S(T_{N-2}) < \prod_{s=3}^{l+1} \frac{1}{1 + \delta L_{N+s-3}(T_{N-2})} \sum_{k=0}^{n-1} w_{N+k}(0) L_{N+k-1}(T_{N-2}), l = 3, 4, \dots, n. \quad (58)$$

Proposition 6.2. *The holder of the Bermudan swaption does not exercise the option at $t = T_i$ under the conditions*

$$S(T_i) < \frac{1}{1 + \delta L_{i+l}(T_i)} \sum_{k=0}^{n-1} w_{i+k+2}(0) L_{i+k+1}(T_i), l = 1, 2; \quad (59)$$

$$S(T_i) < \prod_{s=3}^{l+1} \frac{1}{1 + \delta L_{i+s-1}(T_i)} \sum_{k=0}^{n-1} w_{i+k+2}(0) L_{i+k+1}(T_i), l = 3, 4, \dots, n. \quad (60)$$

Proof. See Appendix. □

7 Conclusion

In this paper we propose the pricing method of the Bermudan swaption. We have mainly four features in this paper. Firstly, we utilize the dynamic programming approach with the short rate model the Hull–White model. In particular, we derive the relation between the Hull–White 1–factor model and a displaced–diffusion LMM. Secondly, deriving the theoretical prices of the bond and the European swaption, we use the theoretical prices for the calibration. Thirdly, we show the numerical examples and discuss comparative statics. Fourthly, we derive the conditions for non early exercise of the Bermudan swaption.

The future plan of the research is to discuss if the derived theoretical forward rates fit behavior of market data. We will hopefully price the Bermudan swaption after the calibration thorough real market data. Moreover, we should verify if prices derived by the model suit the Bermudan swaption prices of the real market data. One factor model like this paper has only one driving Brownian motion and it implies perfect correlation of all forward rates with different maturity dates. Furthermore, by working with the one factor short rate as the primitive model, it is difficult to allow for a precise fit to processes of quoted instruments (bond and European swaption) because of low degrees of freedom. We can extend the one factor model of this paper to a multi factor model.

A Proof of the Proposition 1

Proof. We derive theoretical conditions under which the option holder does not exercise the Bermudan swaption at T_{N-2} . The value of the Bermudan swaption at the terminal period, T_{N-1} , is

$$W(S(T_{N-1})) = \delta[S(T_{N-1}) - K]_+ \sum_{k=0}^{n-1} D(T_{N-1}, T_{N+k}). \quad (61)$$

The optimality equation at T_{N-2} is

$$\begin{aligned} W(S(T_{N-2})) &= \max \left\{ \delta[S(T_{N-2}) - K]_+ \sum_{k=0}^{n-1} D(T_{N-2}, T_{N+k-1}), \right. \\ &\quad \left. D(T_{N-2}, T_N) E^{T_N} \left[\frac{W(S(T_{N-1}))}{D(T_{N-1}, T_N)} \middle| S(T_{N-2}) \right] \right\} \\ &= \max \left\{ \delta[S(T_{N-2}) - K]_+ \sum_{k=0}^{n-1} D(T_{N-2}, T_{N+k-1}), \right. \\ &\quad \left. D(T_{N-2}, T_N) E^{T_N} \left[\frac{\delta[S(T_{N-1}) - K]_+ \sum_{k=0}^{n-1} D(T_{N-1}, T_{N+k})}{D(T_{N-1}, T_N)} \middle| S(T_{N-2}) \right] \right\}. \end{aligned} \quad (62)$$

The condition, under which the option holder does not exercises the Bermudan swaption at T_{N-2} , is

$$\begin{aligned} &\delta[S(T_{N-2}) - K]_+ \sum_{k=0}^{n-1} D(T_{N-2}, T_{N+k-1}) \\ &< D(T_{N-2}, T_N) E^{T_N} \left[\frac{\delta[S(T_{N-1}) - K]_+ \sum_{k=0}^{n-1} D(T_{N-1}, T_{N+k})}{D(T_{N-1}, T_N)} \middle| S(T_{N-2}) \right]. \end{aligned} \quad (63)$$

Using an approximation,

$$S(T_{N-1}) \approx \sum_{k=0}^{n-1} w_{N+k}(0) L_{N+k-1}(T_{N-1}), \quad (64)$$

where

$$w_i(t) = \frac{D(t, T_i)}{\sum_{k=0}^{n-1} D(t, T_{i+k})}, \quad (65)$$

we have the first term of the summation on the right hand side of (63), A , as

$$\begin{aligned} A &= D(T_{N-2}, T_N) E^{T_N} \left[\delta[S(T_{N-1}) - K]_+ \middle| S(T_{N-2}) \right] \\ &\approx D(T_{N-2}, T_N) E^{T_N} \left[\delta \left[\sum_{k=0}^{n-1} w_{N+k}(0) L_{N+k-1}(T_{N-1}) - K \right]_+ \middle| S(T_{N-2}) \right] \\ &\geq \delta D(T_{N-2}, T_N) \left[\sum_{k=0}^{n-1} w_{N+k}(0) E^{T_N} \left[L_{N+k-1}(T_{N-1}) \middle| S(T_{N-2}) \right] - K \right]_+. \end{aligned} \quad (66)$$

We evaluate the expectation terms of the equation (66). The first term of the summation is evaluated as

$$E^{T_N} \left[L_{N-1}(T_{N-1}) \middle| S(T_{N-2}) \right] = L_{N-1}(T_{N-2}). \quad (67)$$

Next we evaluate the second term of the summation, $E^{T_N} \left[L_N(T_{N-1}) \middle| S(T_{N-2}) \right]$. We consider the payoff $L_N(T_{N-1})$ given at T_N . We evaluate the payoff under each of the forward neutral probability measure of \mathbb{P}^{T_N} and $\mathbb{P}^{T_{N+1}}$. We define P as the evaluated value at T_{N-2} corresponding to the payoff.

$$\frac{P}{D(T_{N-2}, T_N)} = E^{T_N} \left[\frac{L_N(T_{N-1})}{D(T_N, T_N)} \middle| S(T_{N-2}) \right] \quad (68)$$

$$\frac{P}{D(T_{N-2}, T_{N+1})} = E^{T_{N+1}} \left[\frac{L_N(T_{N-1})}{D(T_N, T_{N+1})} \middle| S(T_{N-2}) \right] \quad (69)$$

So we have

$$E^{T_N} \left[L_N(T_{N-1}) \middle| S(T_{N-2}) \right] = \frac{D(T_{N-2}, T_{N+1})}{D(T_{N-2}, T_N)} E^{T_{N+1}} \left[\frac{L_N(T_{N-1})}{D(T_N, T_{N+1})} \middle| S(T_{N-2}) \right]. \quad (70)$$

Utilizing the facts that

$$D(T_N, T_{N+1}) = \frac{1}{1 + \delta L_N(T_N)} \quad (71)$$

and the function

$$f(x) := x(1 + \delta x) \quad (72)$$

is convex in x , we evaluate the expectation term in the equation (70) as

$$\begin{aligned} E^{T_{N+1}} \left[\frac{L_N(T_{N-1})}{D(T_N, T_{N+1})} \middle| S(T_{N-2}) \right] &= E^{T_{N+1}} \left[L_N(T_{N-1}) \{1 + \delta L_N(T_N)\} \middle| S(T_{N-2}) \right] \\ &\geq L_N(T_{N-2})(1 + \delta L_N(T_{N-2})). \end{aligned} \quad (73)$$

Hence we have the relationship

$$E^{T_N} \left[L_N(T_{N-1}) \middle| S(T_{N-2}) \right] \geq L_N(T_{N-2}). \quad (74)$$

Next we evaluate the third term of the summation, $E^{T_N} \left[L_{N+1}(T_{N-1}) \middle| S(T_{N-2}) \right]$, in the same way. We consider the payoff $L_{N+1}(T_{N-1})$ at T_N . We evaluate the payoff under each of the forward neutral probability measure of \mathbb{P}^{T_N} and $\mathbb{P}^{T_{N+1}}$. We define Q as the evaluated value at T_{N-2} corresponding to the payoff.

$$\frac{Q}{D(T_{N-2}, T_N)} = E^{T_N} \left[\frac{L_{N+1}(T_{N-1})}{D(T_N, T_N)} \middle| S(T_{N-2}) \right] \quad (75)$$

$$\frac{Q}{D(T_{N-2}, T_{N+1})} = E^{T_{N+1}} \left[\frac{L_{N+1}(T_{N-1})}{D(T_N, T_{N+1})} \middle| S(T_{N-2}) \right] \quad (76)$$

So we have

$$\begin{aligned} & E^{T_N} \left[L_{N+1}(T_{N-1}) \middle| S(T_{N-2}) \right] \\ &= \frac{D(T_{N-2}, T_{N+1})}{D(T_{N-2}, T_N)} E^{T_{N+1}} \left[\frac{L_{N+1}(T_{N-1})}{D(T_N, T_{N+1})} \middle| S(T_{N-2}) \right]. \end{aligned} \quad (77)$$

Assuming that the following Brownian motions are uncorrelated

$$dW^{T_{N+2}}(t)dW^{T_{N+1}}(t) = 0, \quad (78)$$

where

$$\frac{dL_{N+1}(t)}{L_{N+1}(t)} = \sigma_{N+1}(t)dW^{T_{N+2}}(t), \quad t \in \mathbb{T}^* \quad (79)$$

$$\frac{dL_N(t)}{L_N(t)} = \sigma_N(t)dW^{T_{N+1}}(t), \quad t \in \mathbb{T}^*, \quad (80)$$

we have the expectation term in (77) as

$$\begin{aligned} & E^{T_{N+1}} \left[\frac{L_{N+1}(T_{N-1})}{D(T_N, T_{N+1})} \middle| S(T_{N-2}) \right] \\ &= E^{T_{N+1}} \left[1 + \delta L_N(T_N) \middle| S(T_{N-2}) \right] E^{T_{N+1}} \left[L_{N+1}(T_{N-1}) \middle| S(T_{N-2}) \right]. \end{aligned} \quad (81)$$

We evaluate the term $E^{T_{N+1}} \left[L_{N+1}(T_{N-1}) \middle| S(T_{N-2}) \right]$ in (81). We consider the payoff $L_{N+1}(T_{N-1})$ at T_{N+1} . We evaluate the payoff under each of the forward neutral probability measure of $\mathbb{P}^{T_{N+1}}$ and $\mathbb{P}^{T_{N+2}}$. We define R as the evaluated value at T_{N-2} .

$$\frac{R}{D(T_{N-2}, T_{N+1})} = E^{T_{N+1}} \left[\frac{L_{N+1}(T_{N-1})}{D(T_{N+1}, T_{N+1})} \middle| S(T_{N-2}) \right] \quad (82)$$

$$\frac{R}{D(T_{N-2}, T_{N+2})} = E^{T_{N+2}} \left[\frac{L_{N+1}(T_{N-1})}{D(T_{N+1}, T_{N+2})} \middle| S(T_{N-2}) \right] \quad (83)$$

So we have

$$\begin{aligned} & E^{T_{N+1}} \left[L_{N+1}(T_{N-1}) \middle| S(T_{N-2}) \right] \\ &= \frac{D(T_{N-2}, T_{N+2})}{D(T_{N-2}, T_{N+1})} E^{T_{N+2}} \left[\frac{L_{N+1}(T_{N-1})}{D(T_{N+1}, T_{N+2})} \middle| S(T_{N-2}) \right]. \end{aligned} \quad (84)$$

In the same way as (73), we have the expectation term in (84) as

$$E^{T_{N+2}} \left[\frac{L_{N+1}(T_{N-1})}{D(T_{N+1}, T_{N+2})} \middle| S(T_{N-2}) \right] \geq L_{N+1}(T_{N-2})(1 + \delta L_{N+1}(T_{N-2})). \quad (85)$$

Hence we evaluate the third term of the summation as

$$E^{T_N} \left[L_{N+1}(T_{N-1}) \middle| S(T_{N-2}) \right] \geq L_{N+1}(T_{N-2}). \quad (86)$$

In the same way we have the relations

$$E^{T_N} \left[L_{N+k-1}(T_{N-1}) \middle| S(T_{N-2}) \right] \geq L_{N+k-1}(T_{N-2}) \quad k = 1, 2, \dots, n-1. \quad (87)$$

Then A has the following relation.

$$A \geq \delta D(T_{N-2}, T_N) \left[\sum_{k=0}^{n-1} w_{N+k}(0) L_{N+k-1}(T_{N-2}) - K \right]_+ \quad (88)$$

Comparing the first term of the left side on the equation (63) and the right side of equation (88), we have

$$[S(T_{N-2}) - K]_+ \leq \frac{D(T_{N-2}, T_N)}{D(T_{N-2}, T_{N-1})} \left[\sum_{k=0}^{n-1} w_{N+k}(0) L_{N+k-1}(T_{N-2}) - K \right]_+. \quad (89)$$

$$RHS\ of\ (89) \geq \left[\frac{1}{1 + \delta L_{N-1}(T_{N-2})} \sum_{k=0}^{n-1} w_{N+k}(0) L_{N+k-1}(T_{N-2}) - K \right]_+ \quad (90)$$

Hence one of the sufficient conditions for non early exercise of the Bermudan swaption at $t = T_{N-2}$ derived from the comparison of the first terms is

$$S(T_{N-2}) \leq \frac{1}{1 + \delta L_{N-1}(T_{N-2})} \sum_{k=0}^{n-1} w_{N+k}(0) L_{N+k-1}(T_{N-2}). \quad (91)$$

We have the second term of the summation on the right hand side of (63), B , as

$$\begin{aligned} B &= D(T_{N-2}, T_N) E^{T_N} \left[\frac{D(T_{N-1}, T_{N+1}) \delta [S(T_{N-1}) - K]_+}{D(T_{N-1}, T_N)} \middle| S(T_{N-2}) \right] \\ &\approx \delta D(T_{N-2}, T_N) E^{T_N} \left[\frac{1}{1 + \delta L_N(T_{N-1})} \left[\sum_{k=0}^{n-1} w_{N+k}(0) L_{N+k-1}(T_{N-1}) - K \right]_+ \middle| S(T_{N-2}) \right] \\ &\geq \delta D(T_{N-2}, T_N) \left[\sum_{k=0}^{n-1} w_{N+k}(0) E^{T_N} \left[\frac{L_{N+k-1}(T_{N-1})}{1 + \delta L_N(T_{N-1})} \middle| S(T_{N-2}) \right] - K \right]_+. \end{aligned} \quad (92)$$

We evaluate the expectation terms of the equation (92). Under the following assumption that all Brownian motions are uncorrelated each other

$$dW^{T_i}(t) dW^{T_j}(t) = 0, \quad i \neq j, \quad (93)$$

we have

$$\begin{aligned} &E^{T_N} \left[\frac{L_{N+k-1}(T_{N-1})}{1 + \delta L_N(T_{N-1})} \middle| S(T_{N-2}) \right] \\ &= E^{T_N} \left[\frac{1}{1 + \delta L_N(T_{N-1})} \middle| S(T_{N-2}) \right] E^{T_N} \left[L_{N+k-1}(T_{N-1}) \middle| S(T_{N-2}) \right]. \end{aligned} \quad (94)$$

Because the function

$$g(x) := \frac{1}{1 + \delta x} \quad (95)$$

is convex in x for $x \geq 0$, we have

$$E^{T_N} \left[\frac{1}{1 + \delta L_N(T_{N-1})} \middle| S(T_{N-2}) \right] \geq \frac{1}{1 + \delta L_N(T_{N-2})}. \quad (96)$$

Utilizing (96) and (87) we derive the relation

$$\begin{aligned} & E^{T_N} \left[\frac{1}{1 + \delta L_N(T_{N-1})} \middle| S(T_{N-2}) \right] E^{T_N} \left[L_{N+k-1}(T_{N-1}) \middle| S(T_{N-2}) \right] \\ & \geq \frac{L_{N+k-1}(T_{N-2})}{1 + \delta L_N(T_{N-2})}. \end{aligned} \quad (97)$$

Hence B has the following relation.

$$B \geq \delta D(T_{N-2}, T_N) \left[\sum_{k=0}^{n-1} w_{N+k}(0) \frac{L_{N+k-1}(T_{N-2})}{1 + \delta L_N(T_{N-2})} - K \right]_+. \quad (98)$$

Comparing the second terms of the left side on the equation (63) and the right side of equation (98), we have

$$[S(T_{N-2}) - K]_+ \leq \frac{D(T_{N-2}, T_N)}{D(T_{N-2}, T_N)} \left[\sum_{k=0}^{n-1} w_{N+k}(0) \frac{L_{N+k-1}(T_{N-2})}{1 + \delta L_N(T_{N-2})} - K \right]_+. \quad (99)$$

Hence one of the sufficient conditions for non early exercise of the Bermudan swaption at $t = T_{N-2}$ derived from the comparison of the second terms is

$$S(T_{N-2}) \leq \frac{1}{1 + \delta L_N(T_{N-2})} \sum_{k=0}^{n-1} w_{N+k}(0) L_{N+k-1}(T_{N-2}). \quad (100)$$

We have the third term of the summation on the right hand side of (63), C , as

$$\begin{aligned} C &= D(T_{N-2}, T_N) E^{T_N} \left[\frac{D(T_{N-1}, T_{N+2}) \delta [S(T_{N-1}) - K]_+}{D(T_{N-1}, T_N)} \middle| S(T_{N-2}) \right] \\ &\approx \delta D(T_{N-2}, T_N) E^{T_N} \left[\frac{1}{(1 + \delta L_N(T_{N-1}))(1 + \delta L_{N+1}(T_{N-1}))} \right. \\ &\quad \left. \left[\sum_{k=0}^{n-1} w_{N+k}(0) L_{N+k-1}(T_{N-1}) - K \right]_+ \middle| S(T_{N-2}) \right] \\ &\geq \delta D(T_{N-2}, T_N) \left[\sum_{k=0}^{n-1} w_{N+k}(0) \right. \\ &\quad \left. E^{T_N} \left[\frac{L_{N+k-1}(T_{N-1})}{(1 + \delta L_N(T_{N-1}))(1 + \delta L_{N+1}(T_{N-1}))} \middle| S(T_{N-2}) \right] - K \right]_+. \end{aligned} \quad (101)$$

In the same way we evaluate the expectation terms of the equation (101) under the assumption all Brownian motions are uncorrelated each other.

$$\begin{aligned} & E^{T_N} \left[\frac{L_{N+k-1}(T_{N-1})}{(1 + \delta L_N(T_{N-1}))(1 + \delta L_{N+1}(T_{N-1}))} \middle| S(T_{N-2}) \right] \\ & \geq \frac{L_{N+k-1}(T_{N-2})}{(1 + \delta L_N(T_{N-2}))(1 + \delta L_{N+1}(T_{N-2}))} \end{aligned} \quad (102)$$

Hence C has the following relation.

$$C \geq \delta D(T_{N-2}, T_N) \left[\sum_{k=0}^{n-1} w_{N+k}(0) \frac{L_{N+k-1}(T_{N-2})}{(1 + \delta L_N(T_{N-2}))(1 + \delta L_{N+1}(T_{N-2}))} - K \right]_+ \quad (103)$$

Comparing the third terms of the left side on the equation (63) and the right side of equation (103), we have

$$\begin{aligned} [S(T_{N-2}) - K]_+ &\leq \frac{D(T_{N-2}, T_N)}{D(T_{N-2}, T_{N+1})} \\ &\left[\sum_{k=0}^{n-1} w_{N+k}(0) \frac{L_{N+k-1}(T_{N-2})}{(1 + \delta L_N(T_{N-2}))(1 + \delta L_{N+1}(T_{N-2}))} - K \right]_+. \end{aligned} \quad (104)$$

Because $\frac{D(T_{N-2}, T_N)}{D(T_{N-2}, T_{N+1})} > 1$ one of the sufficient conditions for non early exercise of the Bermudan swaption at $t = T_{N-2}$ derived from the comparison of the third terms is

$$S(T_{N-2}) \leq \prod_{s=3}^4 \frac{1}{1 + \delta L_{N+s-3}(T_{N-2})} \sum_{k=0}^{n-1} w_{N+k}(0) L_{N+k-1}(T_{N-2}). \quad (105)$$

In the same way we can derive that the sufficient conditions to satisfy this proposition are summarized as

$$S(T_{N-2}) < \frac{1}{1 + \delta L_{N+l-2}(T_{N-2})} \sum_{k=0}^{n-1} w_{N+k}(0) L_{N+k-1}(T_{N-2}), l = 1, 2; \quad (106)$$

$$S(T_{N-2}) < \prod_{s=3}^{l+1} \frac{1}{1 + \delta L_{N+s-3}(T_{N-2})} \sum_{k=0}^{n-1} w_{N+k}(0) L_{N+k-1}(T_{N-2}), l = 3, 4, \dots, n. \quad (107)$$

□

B Proof of the Proposition 2

Proof. At $t = T_{N-2}$ from the result of Proposition 1 we prove that we do not exercise the option under the conditions (106) and (107). At $t = T_{i+1}$ we suppose that we do not exercise the option under the conditions

$$S(T_{i+1}) < \frac{1}{1 + \delta L_{i+l+1}(T_{i+1})} \sum_{k=0}^{n-1} w_{i+k+3}(0) L_{i+k+2}(T_{i+1}), l = 1, 2; \quad (108)$$

$$S(T_{i+1}) < \prod_{s=3}^{l+1} \frac{1}{1 + \delta L_{i+s}(T_{i+1})} \sum_{k=0}^{n-1} w_{i+k+3}(0) L_{i+k+2}(T_{i+1}), l = 3, 4, \dots, n, \quad (109)$$

that is

$$\begin{aligned} W(S(T_{i+1})) &= D(T_{i+1}, T_{i+3}) E^{T_{i+3}} \left[\frac{W(S(T_{i+2}))}{D(T_{i+2}, T_{i+3})} \middle| S(T_{i+1}) \right] \\ &> \delta [S(T_{i+1}) - K]_+ \sum_{k=0}^{n-1} D(T_{i+1}, T_{i+k+2}). \end{aligned} \quad (110)$$

At $t = T_i$ we would like to show that under the conditions

$$S(T_i) < \frac{1}{1 + \delta L_{i+l}(T_i)} \sum_{k=0}^{n-1} w_{i+k+2}(0) L_{i+k+1}(T_i), l = 1, 2; \quad (111)$$

$$S(T_i) < \prod_{s=3}^{l+1} \frac{1}{1 + \delta L_{i+s-1}(T_i)} \sum_{k=0}^{n-1} w_{i+k+2}(0) L_{i+k+1}(T_i), l = 3, 4, \dots, n, \quad (112)$$

we do not exercise the option by the induction, that is

$$\begin{aligned} & \delta[S(T_i) - K]_+ \sum_{k=0}^{n-1} D(T_i, T_{i+k+1}) \\ & < D(T_i, T_{i+2}) E^{T_{i+2}} \left[\frac{W(S(T_{i+1}))}{D(T_{i+1}, T_{i+2})} \middle| S(T_i) \right]. \end{aligned} \quad (113)$$

From the hypothesis, (110), substituting RHS of (110) for the RHS of (113) we obtain

$$\begin{aligned} RHSof(113) & > D(T_i, T_{i+2}) E^{T_{i+2}} \left[\frac{\delta[S(T_{i+1}) - K]_+ \sum_{m=0}^{n-1} D(T_{i+1}, T_{i+m+2})}{D(T_{i+1}, T_{i+2})} \middle| S(T_i) \right] \\ & = D(T_i, T_{i+2}) E^{T_{i+2}} \left[\delta \left[\sum_{k=0}^{n-1} w_{i+k+2}(0) L_{i+k+1}(T_{i+1}) - K \right]_+ \right. \\ & \quad \left. \frac{\sum_{m=0}^{n-1} D(T_{i+1}, T_{i+m+2})}{D(T_{i+1}, T_{i+2})} \middle| S(T_i) \right]. \end{aligned} \quad (114)$$

Comparing the first terms of RHS of (114) and LHS of (113), we obtain one of the non early exercise conditions as

$$\begin{aligned} & [S(T_i) - K]_+ < \\ & \frac{D(T_i, T_{i+2})}{D(T_i, T_{i+1})} E^{T_{i+2}} \left[\sum_{k=0}^{n-1} w_{i+k+2}(0) L_{i+k+1}(T_{i+1}) - K \right]_+ \middle| S(T_i). \end{aligned} \quad (115)$$

Utilizing the following relation

$$\begin{aligned} RHSof(115) & \geq \frac{1}{1 + \delta L_{i+1}(T_i)} \sum_{k=0}^{n-1} w_{i+k+2}(0) E^{T_{i+2}} \left[L_{i+k+1}(T_{i+1}) \middle| S(T_i) \right] - K]_+ \\ & \geq \left[\frac{1}{1 + \delta L_{i+1}(T_i)} \sum_{k=0}^{n-1} w_{i+k+2}(0) L_{i+k+1}(T_i) - K \right]_+, \end{aligned} \quad (116)$$

(115) is satisfied under the condition (111). Comparing the second terms of RHS of (114) and LHS of (113), we obtain one of the non early exercise conditions as

$$[S(T_i) - K]_+ < E^{T_{i+2}} \left[\frac{D(T_{i+1}, T_{i+3})}{D(T_{i+1}, T_{i+2})} \left[\sum_{k=0}^{n-1} w_{i+k+2}(0) L_{i+k+1}(T_{i+1}) - K \right]_+ \middle| S(T_i) \right]. \quad (117)$$

Utilizing the following relation

$$\begin{aligned} RHSof(117) & \geq \left[\frac{1}{1 + \delta L_{i+2}(T_{i+1})} \sum_{k=0}^{n-1} w_{i+k+2}(0) E^{T_{i+2}} \left[L_{i+k+1}(T_{i+1}) \middle| S(T_i) \right] - K \right]_+ \\ & \geq \left[\frac{1}{1 + \delta L_{i+2}(T_{i+1})} \sum_{k=0}^{n-1} w_{i+k+2}(0) L_{i+k+1}(T_i) - K \right]_+, \end{aligned} \quad (118)$$

(117) is satisfied under the condition (111). Comparing the l -th ($l \geq 3$) terms of RHS of (114) and LHS of (113), we obtain the one of the non early exercise conditions as

$$[S(T_i) - K]_+ < \frac{D(T_i, T_{i+2})}{D(T_i, T_{i+l})} E^{T_{i+2}} \left[\frac{D(T_{i+1}, T_{i+l+1})}{D(T_{i+1}, T_{i+2})} \left[\sum_{k=0}^{n-1} w_{i+k+2}(0) L_{i+k+1}(T_{i+1}) - K \right]_+ \middle| S(T_i) \right]. \quad (119)$$

Utilizing the following relation

$$\begin{aligned} \text{RHS of (119)} &\geq \prod_{u=0}^{l-3} (1 + \delta L_{i+u+2}(T_i)) E^{T_{i+2}} \left[\prod_{s=3}^{l+1} \frac{1}{1 + \delta L_{i+s+2}(T_{i+1})} \right. \\ &\quad \left. \sum_{k=0}^{n-1} w_{i+k+2}(0) L_{i+k+1}(T_{i+1}) - K \right]_+ \\ &\geq \left[\prod_{s=3}^{l+1} \frac{1}{1 + \delta L_{i+s+2}(T_i)} \sum_{k=0}^{n-1} w_{i+k+2}(0) L_{i+k+1}(T_i) - K \right]_+, \end{aligned} \quad (120)$$

(120) is satisfied under the condition (112). Then we prove that the holder of the Bermudan swaption does not exercise the option at $t = T_i$ under the conditions

$$S(T_i) < \frac{1}{1 + \delta L_{i+l}(T_i)} \sum_{k=0}^{n-1} w_{i+k+2}(0) L_{i+k+1}(T_i), l = 1, 2; \quad (121)$$

$$S(T_i) < \prod_{s=3}^{l+1} \frac{1}{1 + \delta L_{i+s-1}(T_i)} \sum_{k=0}^{n-1} w_{i+k+2}(0) L_{i+k+1}(T_i), l = 3, 4, \dots, n. \quad (122)$$

□

References

- Andersen, L. (1999) A Simple Approach to the Pricing of Bermudan Swaption in the Multifactor LIBOR Market Model, *Journal of Computational Finance*, 3, 2, Winter, 5–32.
- Black, F. and Scholes, M. (1973) The Pricing of Options and Corporate Liabilities, *Journal of Political Economy*, 81, 637–654.
- Brace, A., Gatarek D., and Musiela M. (1997) The Market Model of Interest Rate Dynamics, *Mathematical Finance*, 7, 127–155.
- Brigo, D. and Mercurio, F. (2000) *Interest Rate Models Theory and Practice*, Springer-Verlag Berlin Heidelberg New York.
- Broadie, M. and Glasserman, P. (1997a) Pricing American-Style Securities Using Simulation, *Journal of Economic Dynamics and Control*, 21, 8–9, 1323–1352.
- Broadie, M. and Glasserman, P. (1997b) A Stochastic Mesh Method for Pricing High-Dimensional American Options, Working Paper, Columbia University, New York.

- Carr, P. and Yang, G. (1997) Simulating Bermudan Interest Rate Derivatives, Working Paper, Courant Institute at New York University, New York.
- Clelow, L. and Strickland, C. (1998) *Implementing Derivatives Models*, John Wiley and Son Publishing.
- Filipović, D. (2002) *Fixed Income Models*, Lecture Note ORF555/FIN555, Department of Operations Research and Financial Engineering, Princeton University, Fall.
- Hull, J. and White, A. (1990) Pricing Interest–Rate–Derivative Securities, *Review of Financial Studies*, 3, 4, 573–592.
- Hull, J. and White, A. (1994) Numerical Procedures for Implementing Term Structure Models : Single–Factor Models, *The Journal of Derivatives*, Fall, 7–16.
- Ito, D., Ohnishi, M. and Tamba, Y. (2004) Pricing of a Chooser Flexible Cap and its Calibration, Working Paper, Osaka University, Osaka.
- Longstaff, F. A. and Schwartz, E. S. (2001) Valuing American Options by Simulation: A Simple Least–Squares Approach, *Review of Financial Studies*, 14, 1, 113–147.
- Pedersen, M. B. and Sidenius, J. (1998) Valuation of Flexible Caps, *The Journal of Derivatives*, Spring, 60–67.
- Rebonato, R. (1998) *Interest Rate Option Models, Second Edition*, Wiley Chichester.